



enjoy.

CONTENTS

Paving & Patios 4-43 Aggregates 44-49 Essentials 50-51 Stepping Stones, Walling & Edging 52-63 Landscaping Essentials 64-69 Patio Construction & Care 70-77 Important Information 78-79











Welcome to Bowland Stone!

We are a family business that over the years has become one of the UK's market leaders in landscaping and gardening materials. Our products help you create an inspiring garden that suits your lifestyle, whether it's the hub of family activity or your peaceful retreat away from the world.

Visit us at our showrooms in Bristol & Manchester

Bowland Stone (Bristol)

1 Cole Road St Philips Bristol BS2 OUG e. bristol@bowlandstone.com t. 0117 955 7530


Bowland Stone (Manchester)

Nab Works Long Lane Pott Shrigley Macclesfield Cheshire SK10 5SD e. manchester@bowlandstone.com t. 01625 574634

Find even more inspiration at www.bowlandstone.com



Windsor 6-7 Baroque 8-9 Chapter 10-11 Cathedral 12-13 Chalice 14-15 Stratford 16-17 Deck Pave 18-19 Lakeland 20-21 & Sun 22-23 Regency Setts 24 Victorian Setts 25 Wheel 26-27 Rectory 28-29 Aurora & Sun Circle 30-31 & Chevron 32-33 Sleeper 34-35 Somerset 36 Umbria 37 Rumbled Block 38-39 Natural Stone 40-41 Chesia 42-43



Naturallook

6

WINDSOR PAVING

With three natural-looking colours to choose from, Windsor is an ideal choice for both urban and rural gardens.



Windsor paving is straight-edged with a lightly textured surface, true to the distinctive nature of classic Yorkshire stone. Windsor has been a popular choice for creating delightful garden features for many years. Available in a variety of sizes, a truly random design can be achieved.

Coloi





WELSH SLATE

Create

IT AND STORES	PAVING	STONES
---------------	--------	--------

		m²	Unit weight	allet	pallet	Pallet weight	
	Sizes	Unit / m²	Unit v	m2 / pallet	Unit / pallet	Pallet	
	600 x 600	2.8	30	8.9	25	750	
	600 x 450	3.7	22	13.5	50	1100	
	600 x 300	5.5	14.5	9.1	50	725	
	450 x 450	5	17	10	50	850	
	450 x 225	10	8	5	50	400	
	300 x 300	11	7	4.5	50	350	
	225 x 225	20	4.5	2.5	50	225	

Thickness: 38mm

BARLEY

POF

PORTLAND GREY

7

Complement with colour

8

BAROQUE PAVING

Our Baroque paving has a specially blended colouring and a subtle shade that creates a beautiful natural effect which is ideal for large areas and the perfect canvas to match with bright foliage and furniture.

9




Baroque paving's sleek smooth lines and fine surface make it a very tactile product. Reproduced in three different sizes it will make any patio stand out. Baroque can be used alone to create a beautiful patio area or combined with a Baroque Oval or Piccolo Oval for striking effect.





LIMESTONE

WELSH SLATE





Baroque & Piccolo Oval

The Oval Pac has a unique shape with a beautiful finish that will look stunning in any style of garden. Two sizes are available, Baroque Oval and the smaller Piccolo Oval.

Create

PAVING STONES

Sizes	Unit / m²	Unit weight	m2 / pallet	Unit / pallet	Pallet weight
600 x 400 (A)	4.2	15.5	6	25	387.5
400 x 400 (B)	6.3	11	8	50	550
200 x 400 (C)	12.5	5.5	4	50	275

OVAL PAC

Baroque

5.53m²

Thickness: 32mm

PAVING PAC

```
Approx. size:
2400 x 2400mm
5.76m<sup>2</sup>
Pallet weight 378
Pac consists of:
12 = 600 \times 400
11 = 400 \times 400
14 = 200 \times 400
```

Piccolo Approx. size: Approx. size: 3200 x 2200mm 2400 x 1400mm 2.64m² Pallet weight 390 Pallet weight 125 Pac consists of: Pac consists of: 30 specific shapes 14 specific shapes **Baroque Infills Piccolo Infills** Approx. size: Approx. size: 3200 x 2400mm 2800 x 1600mm

Pallet weight 120

Pallet weight 158

Flexible design

CHAPTER PAVING WITH CHAPTER CIRCLE

Our Chapter circle allows stunning circle designs to be incorporated into your patio and is available to purchase completely individually giving you complete flexibility of design. You can also combine our Chapter circle with our walling products to create stunning steps.



All and a second

11



Chapter paving's subtle worn-smooth riven appearance is suitable for many spaces. Its many shapes and sizes allows you to add your own splash of inspiration. Chapter Paving is available in five sizes and three natural-looking tones.


Create

PAVING	STONES
--------	--------

Sizes	Unit / m²	Unit weight	m2 / pallet	Unit / pallet	Pallet weight
750 x 500 (A)	2.7	35	7.4	20	700
750 x 250 (B)	5.35	18	7.5	40	720
500 x 500 (C)	4	26	10	40	1040
500 x 250 (D)	8	13	5	40	520
250 x 250 (E)	16	6	2.5	40	240


PAVING PAC	CIRCLE PAC		
Approx. size: 2250 x 2250mm 5.06m ² Pallet weight 456	Chapter 2m Approx. size: 2000mm (dia) 3.14m ²		
Pac consists of: 5 = 750×500 8 = 500×500 7 = 500×250 5 = 250×250	Pallet weight 288 Chapter 3m Approx. size: 3000mm (dia) 7.07m ²		
	Pallet weight 636		
	Chapter 4m Approx. size: 4000mm (dia) 12.57m ²		
	Pallet weight 1116		

TUNDRA










BARLEY



Distinctive style

CATHEDRAL PAVING

The weathered textures and tones of our Cathedral paving work beautifully with contemporary and traditional houses.



/2



The Cathedral paving range has a distinct rough-hewn texture that has been blended into three natural tones.

Create

PAVING STONES

	m²	veight	allet	' pallet	Pallet weight
Sizes	Unit / m²	Unit weight	m2 / pallet	Unit /	Pallet
675 x 450 (A)	3.3	25	7.6	25	625
600 x 600 (B)	2.8	30	8.9	25	750
600 x 450 (C)	3.7	22	13.5	50	1100
600 x 300 (D)	5.5	14.5	9.1	50	725
450 x 450 (E)	5	15.5	10	50	775
450 x 300 (F)	7.4	9.5	6.8	50	475
450 x 225 (G)	10	8	5	50	400
300 x 300 (H)	11	7.5	4.5	50	375

CIRCLE PAC

2.54m²

Thickness: 38mm

PAVING PAC

Approx. size:	
2700 x 2700mm	
7.29m²	

Pallet weight 603

Pac consists of: 12 = 675 x 450 $9 = 450 \times 450$ $18 = 450 \times 225$

Cathedral 1.8m Cathedral 3.48m Approx. size: Approx. size: 1800mm (dia) 3480mm (dia) 1800mm (with Infill) 3600mm (with Infill) 9.51m²

Pallet weight 216 Pallet weight 716

Cathedral 2.56m Approx. size: 2560mm (dia) 3000mm (with Infill) 5.15m²

Pallet weight 416





WEATHERED MOSS

2700mm

WEATHERED YORK

BARLEY

3480mm / 3600mm (with Infill)

3480mm / 3600 (with Infill) 2700mm

PAVING PAC

CIRCLE PAC (CATHEDRAL CIRCLE 3.48m) 13






Our Chalice paving recreates the look and feel of natural stone with a gentle, riven surface. Chalice is available in three unique colours, Honey Brown, Mellow Gold and Welsh Slate. The colours combine various hues to produce a stunning, warming blend that recreates the appearance of natural stone.





HONEY BROWN

24000mm



WELSH SLATE*







PAVING PAC CIRCLE PAC

Approx. size: Approx. size: 2700 x 2700mm 2400 x 2400mm 7.29m² 5.76m² Pallet weight 405.5 Pallet weight 450.5

PAVING PAC

5.76m

Pac consists of: Pac consists of: $9 = 600 \times 600$ $25 = 450 \times 450$ $11 = 600 \times 300$ $22 = 450 \times 225$ $6 = 300 \times 300$

Chalice 1.8m

3.24m²

Approx. size:

1800mm (dia)

Chalice 2.7m including Chalice

Approx. size: 2700mm (dia)

7.29m²

Pallet weight 210

450x450 Paving

Pallet weight 458

including Corner Infill sets

Pallet weight 125.5

CIRCLE PAC

Chalice 1.5m

Approx. size: 1500mm (dia)

*The 5.76m² kit is not available in the welsh slate colour.

1.77m²


Create

PAVING STONES

Sizes	Unit / m²	Unit weight	m2 / pallet	Unit / pallet	Pallet weight
600 x 600 (A) 600 x 300 (B) 300 x 300 (C) Thickness: 35mm	2.8 5.5 11	25.5 13 6	10.7 10.9 5.5	30 60 60	765 780 360
450 x 450 (D) 450 x 225 (E) Thickness: 32mm	5 10	12.5 6.5	16 8	80 80	1000 520

7.29m







Stratford paving authentically captures the elegance of time-honoured stone, making it feel right at home from the moment it's laid. With stones beautifully reproduced in Antique Grey and Parisian in a large array of sizes, Stratford paving is a cost-effective and flexible solution.

Create

PAVING STONES

Sizes	Unit / m²	Unit weight	m2 / pallet	Unit / pallet	Pallet weight
900 x 600* (A)	1.8	59	11.1	20	1180
600 x 600 (B)	2.8	34	7.2	20	680
600 x 450 (C)	3.7	23.5	10.8	40	940
600 x 300 (D)	5.5	16	7.3	40	640
450 x 450 (E)	5	19	8.0	40	760
300 x 300 (F)	11	8	3.6	40	320

Thickness: 45mm (*50mm)

PAVING PAC OCTAGON PAC Approx. size: Approx. size:


2400 x 2400mm	2250 x 2250mm
5.76m ²	5.06m ²
Pallet weight 530	Pallet weight 450
Pac consists of:	Pac consists of:
$9 = 600 \times 600$	33 specific shapes


 $11 = 600 \times 300$ $6 = 300 \times 300$



ANTIQUE GREY

PARISIAN LIMESTONE





DECK PAVE

This wonderfully natural looking paving gives any garden a rural character without the hassle of having to treat and upkeep real wood.

ale apartit

Deck Pave

Create

PAVING STONES

	, m²	veight	pallet	pallet	: weight	
Sizes	Unit /	Unitv	m2 /	Unit /	Pallet	
500 x 500	4	19.1	12.5	50	955	

Thickness: 35mm

Our natural looking, durable Deck Pave tiles will add flair to any garden patio. They have many advantages to traditional decking including durability, and less upkeep than real wood.

Color



DECK PAVE



Complement

The rich brown textured wood look of our Deck Pave can be teamed perfectly with our light coloured cotswold chipping and bright pops of colour from pots and plants.

19

20

Slate Look

LAKELAND PAVING

For a classic natural slate look our Lakeland range is perfect. If you turn to page 57 you can find out more about our accompanying Lakeland Walling offering you a wide range of possibilities when creating your outdoor space.

2/


Lakeland

Our ever-popular Lakeland range brings the unmistakable look and texture of natural slate to your garden. Lakeland Paving is available in classic Cumbrian Slate and with its accompanying Lakeland Walling, offers you a wide range of possibilities when creating your dream outdoor space.

Colou



CUMBRIAN SLATE



PAVING PAC



Complement

Large, smooth white pebbles make a great companion to the textured, cool slate grey of Lakeland paving. See page 47

Create

PAVING STONES

Sizes	Unit / m²	Unit weight	m2 / pallet	Unit / pallet	Pallet weight
600 x 400 (A)	4.2	18	6.0	25	450
400 x 400 (B)	6.3	13	8.0	50	650
400 x 200 (C)	12.5	6.5	4.0	50	325

Thickness: 35mm

PAVING PAC

Approx. size: 2400 x 2400mm 5.76m²

Pallet weight 475

Pac consists of:

 $12 = 600 \times 400$ 9 = 400 \times 400 18 = 400 \times 200

Always sunny

22

LAKELAND SUN PATIO PAC

The sun will always be shining in your garden with our Lakeland Sun Octagon, ideal for brightening up any corner.

Lakeland Stard Sun

Create

PATIO PACS

LAKELAND SUN	LAKELAND STAR
Approx. size:	Approx. size:
2400 x 2400mm	2400 x 2400mm
5.76m ²	5.76m ²

Pallet weight 453

Pallet weight 471

Available with or without Corner Infills Our Lakeland Star and Sun Patio Pacs are the perfect feature to create a striking contemporary design that will bring the wow factor to your garden. Both come complete in a mix of two dramatic colours, Cumbrian Slate and Gold. Available with or without Corner Infills – the Infill edges allow easy integration into Lakeland paving.

Colou




CUMBRIAN SLATE

2400mm

GOLD

2400mm 2400mm 2400mm UMANE VALONT VAL



Lakeland Star

Reach for the stars with our striking Lakeland Star Patio Pac. Why not order our North Star to feature N, S, E & W compass points on the points of the star.



RegencySetts

Made to order, Regency Setts paving echoes the natural beauty and timeless elegance of hand-chiselled cobbles. An authentic cobbled appearance has been used in elegant homes for generations, and will gracefully enhance any home today. Regency Setts are available in three designs: square, radius or tree planter – something for everyone.

Colour





OLD RED

WEATHERED MOSS

Create

PAVING STONES					
	m²	reight	allet	pallet	Pallet weight
Sizes	Unit / m²	Unit weight	m2 / pallet	Unit / pallet	Pallet
450 x 450	5	16.5	9.6	48	792
Thickness: 38mm					

Plan

SQUARE SETT TREE PLANTER

RADIUS PAVING





Victorian Setts are a simple solution to bringing that period look to your garden with an elegant style. Re-created from original traditional setts, our Diamond and Chevron Setts recapture the feel of a bygone era. Ideal for pathways, Victorian Setts are a timeless classic.

Colou




DIAMOND SETT, WELSH SLATE



CHEVRON SETT, TERRACOTTA

Create



Thickness: 40mm

Naturally neutral

CLOISTER PAVING

With its natural worn look Cloister paving fits in instantly to its surrounding and works in harmony with any type of garden. From a family friendly small courtyard garden to a feature area in a bigger plot it is the perfect choice.



Create

PAVING STONES						
	m²	reight	allet	pallet	Pallet weight	
Sizes	Unit / m²	Unit weight	m2 / pallet	Unit / pallet	Pallet	
760 x 380 (A) 380 x 380 (B) 190 x 380 (C)	3.5 6.9 13.9	25 12.5 6.5	7.1 7.2 3.6	25 50 50	625 625 325	

Thickness: 38mm


 $16 = 190 \times 380$

PAVING PAC	PATIO PACS
Approx. size: 2280 x 2280mm 5.20m ² Pallet weight 452	Catherine wheel Approx. size: 2090mm (dia) 2280mm (with Infills)
Pac consists of: 9 = 760 x 380 10 = 380 x 380	Pallet weight 315 Pallet weight 156 (In

ght 315 ght 156 (Infills)

Corner Infill sets, available separately for Barley and Weathered Slate.

Cloister Paving has a wonderfully worn surface and becomes instantly harmonious with its surroundings when laid. Cloister Paving has a sawn edge enhancing its appearance of 'old stone', and is available in two colours with a natural appearance. Three different sizes allow for traditional paving patterns as well as contemporary designs.



BARLEY

WEATHERED SLATE





Catherine Wheel

Looking for something different? The Catherine Wheel provides a stunning visual display for your garden. Corner Infill Sets are available to allow you to integrate a Catherine Wheel into a paved area and works well with Cloister paving. Stepping stones are also available to complete the look.

Textured character

RECTORY PAVING


Full of character with its textured surface and rich slate colour, why not use our Rectory Circle Pac to turn an unloved corner of the garden into a beautiful feature.



With its deep, heavy riven surface, Rectory Paving is full of character, ideal for creating idyllic spaces with a rural impression. The traditional appearance of Rectory gives refinement to paved areas. Available in six sizes for both traditional and random paving patterns.



WELSH SLATE



Create

PAVING STONES

Sizes	Unit / m²	Unit weight	m2 / pallet	Unit / pallet	Pallet weight
600 x 600 (A)	2.8	30.5	8.9	25	762.5
600 x 450 (B)	3.7	23	13.5	50	1150
600 x 300 (C)	5.5	16	9.1	50	800
450 x 450 (D)	5	17.5	10	50	875
450 x 300 (E)	7.4	11.5	6.8	50	575
300 x 300 (F)	11	7	4.5	50	350

Thickness: 38mm

 $6 = 300 \times 300$

PAVING PAC	ΡΑΤΙΟ ΡΑΟ
Approx. size: 2400 x 2400mm 5.76m ² Pallet weight 460	Rectory Circle Approx. size: 1800 x 1800mm 3.24m ²
Pac consists of:	Pallet weight 30
$9 = 600 \times 600$	Pac consists of:
11 = 600 x 300	25 specific shapes

29

Compact feature

AURORA CIRCLE


The Aurora Circle is based on the design of our popular and larger Sun Circle. At just 1.8m, the Aurora is a compact feature perfect for those with smaller outdoor spaces.

Aurora & Sun Circle

Our Aurora and Sun Circles are both created in a mix of two striking colours; Antique Grey and Barley which creates a dazzling effect in the sunlight that come rain or shine will brighten up any garden!

For additional sunshine in your step head over to page 54 to find out about our Celestial stepping stones.


Colou



ANTIQUE GREY

BARLEY

2560mm / 3000mn



Create

Sizes	m² Per Pack	Pallet weight
Aurora Circle Patio Pac 1800 (dia)	2.54	225
Aurora Corner Infill Sets 2100 x 2100	4.41	-
Sun Circle Patio Pac 2560 (dia)	5.15	430
Sun Circle Corner Infill Sets 3000 x 3000	9	-

Modern angles

PRESTBURY WAVE

The smooth lines of the Prestbury Wave create a calming patio feature in any garden, perfect paired with pebbles for a beach style feel.

32



Our Prestbury collection is available in two colours: Calming Portland Grey and stylish Welsh Slate. Whether you choose the straight geometric lines of the Chevron or the soothing lines of the Wave, both will give your garden a dynamic and inspirational look.

Colou




PORTLAND GREY

2400mm

WELSH SLATE

2460mm

2400m 2250m 2400m PRESTBURY WAVE PRESTBURY CHEVRON



Prestoury Chevron

The geometric style of our Prestbury Chevron gives any garden a modern feel. Team with crushed glass for an ultra stylish outdoor space. Visit pages 44-49 for our full range of decorative aggregates.

Create

Sizes	m² Per Pack	Pallet weight
Prestbury Wave Patio Pac 2400 x 2400	5.76	462
Prestbury Chevron Patio Pac 2250 x 2460	5.54	441

33

Subtle shades

SLEEPER

The perfect paving for creating a focal point in your garden, or why not combine with our pebbles on pages 46-47 for that beach vibe.




Sleeper Paving captures the warm textures of real timber, without the maintenance. Beautiful and durable, Sleeper Paving will bring a welcoming rustic feel to your garden. Available in three sizes.

Colou



SLEEPER



35

Complement

For a cool beachy look, combine sleeper paving with large pebbles or why not use as a durable edging for raised flowerbeds.

Create

PAVING STONES

	/ m²	weight	m2 / pallet	Unit / pallet	t weight
Sizes	Unit / m²	Unit	m2 /	Unit /	Pallet
900 x 225	4.9	20.5	4.1	20	410
675 x 225	6.6	15.5	3	20	310
225 x 225	20	5	2	40	200

Thickness: 45mm





Somerset has a contemporary textured surface suitable for many gardens. As well as being both practical and hardwearing, the cool colours of Somerset Paving will create a sleek effect in your garden.





BLUE BLACK

Create

PAVING STONESSizesImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
MImplify
M</

Thickness: 32mm



BOWLANDSTONE.COM Umbria

Durable, light and easy to handle, Umbria tiles are ideal for internal and external projects. Umbria tiles look stunning in conservatories and kitchens and are versatile enough to use outside for smaller features. Laid either conventionally or randomly spaced, you'll achieve fantastic results.

Colour



TERRACOTTA

Pallet weight

385

280

140

Unit / pallet

70

70

70

m2 / pallet

7.1

4.7

2.3

Unit weight

5.5

4

2

Unit / m2

9.9

14.8

29.6

Create

PAVING STONES

Sizes

390 x 260

260 x 260

260 x 130

Thickness: 25mm

Complement

Complement the bright terracotta patio with white wash walls and edge flowerbeds of lavender with our delicate Rose Thistle path edging for a garden with a distinctly Mediterranean feel.



37

PAVING AND PATIOS

Subtle shades

RUMBLED BLOCK PAVING

Create subtle, autumnal patterns on your driveway, terrace or patio with our collection of durable rumbled blocks.

PAVING AND PATIOS BOWLANDSTONE.COM

Rumbled Block

Rumbled block is a hard wearing stone, ideal for driveways and edgings. Subtle shades of autumnal colours will allow you to create enchanting features, and striking patterns can be created by using a mix of colours.

Create

PAVING STONES					
	m²	reight	allet	pallet	Pallet weight
Sizes	Unit / m²	Unit weight	m2 / pallet	Unit / pallet	Pallet
240 x 160	26	4	10.44	272	1100
160 x 160	39	2.5	10.44	408	1100
120 x 160	52	2	11.21	548	1100

Thickness: 50mm

GRAPHITE



AUTUMN





Complement

Create sweeping designs and beautifully crafted accent features by pairing our rustic-coloured rumble blocks with lighter edging, such as our Cathedral Radius Paving.



Rich tones

NATURAL STONE PAVING

Whether you're planning a contemporary look or a classic English style, our natural stone will be sure to add rich tones to your garden.

PAVING AND PATIOS BOWLANDSTONE.COM

Natural Stone

Our range of natural stone paving gives delicate tones and varying shades through the whole colour range. The Natural Stone range is made up of dramatic colours and textured surfaces. Each piece is different, giving your garden project a very individual style. Circles and Setts also available.

Granite Setts 100 x 100 x 50mm

The cobbled effect of Granite Setts and its elegant natural shades create a highly sophisticated look. The hand chipped Granite Setts provide an extremely hard wearing and durable surface. Ideal for areas which has a lot of foot traffic or can be used for creating an interesting border to any driveway. Natural markings and colour variation are an inherent characteristic of natural stone, creating a magnificent visual effect.

Create

PAVING STONES

Sizes	Unit / m²	Unit weight	n2 / pallet	Unit / pallet	Pallet weight
900 x 600 (A)	1.8	30	15.6	28	840
600 x 600 (B) 600 x 300 (C) 300 x 300 (D)	2.8 5.5 11	20 10 5	14.3 15.5 7.7	40 85 85	800 850 425

Thickness: 22mm* *Approximately calibrated to 22mm






15.3m²*

*To allow 10-15mm joints.

Pallet weight 825

Pac consists of:

- $13 = 900 \times 600$ $13 = 600 \times 600$ $13 = 600 \times 300$
- $9 = 300 \times 300$





AZURE





Natural style

CHESIA PAVING

Chesia faithfully recreates the natural, rustic style and texture of natural stone, perfect for creating a unique and warm look for your patio or garden – whatever the weather!

PAVING AND PATIOS BOWLANDSTONE.COM



Chesia captures the essence of country house living, authentically recreating the tone and texture of natural stone. Chesia can be used externally, but why not bring a warm, rustic feel to your home by laying Chesia indoors? From kitchens to conservatories, it's 30mm thickness makes it ideal for interiors.

Colour





LIMESTONE

WELSH SLATE

Create

PAVING STONES

	2 E	weight	allet	pallet	weight
Sizes	Unit / m²	Unit v	m2 / palle	Unit / pallet	Pallet
750 x 500	2.7	25	11.1	30	750
500 x 500	4	16	15	60	960
500 x 250	8	8	7.5	60	480

Thickness: 30mm

Decorative Aggregates 46-49

DECORATIVE AGGREGATES

closer to






PEBBLES, GRAVEL, GLASS & CHIPPINGS

From ponds and rockeries to driveways and paths, decorative stones are a versatile way to create interesting features and bring both colour and texture into your garden.

Decorative Range









HUNTLEYWOOD GRAVEL*

SOUTH CERNEY







CORNISH GRANITE*



HENHAM GRAVEL*



BLES*



RASPBERRY RIPPLE

Measure up

Use the table below to work out how many Large Pacs you will need.

m²	1	2	3	4	5
1	4	8	12	16	20
2	8	16	24	32	40
3	12	24	36	48	60
4	16	32	48	64	80
5	20	40	60	80	100

Based on a 50mm (2") average coverage. e.g. to cover an area of 3m x 2m at a depth of 50mm, you will require approx. 24 bags If you have a larger area to cover, our bulk bags cover between 10-11m^{2.}



DECORATIVE AGGREGATES BOWLANDSTONE.COM









HIGHLAND COBBLES*


20-30mm **HIGHLAND COBBLES***





HIGHLAND COBBLES*







PLUM SLATE*



GREEN SLATE*



GREEN SLATE*



BLUE SLATE*




BLUE SLATE*



SOMERSET GREY CHIPPINGS



COTSWOLD CHIPPINGS




*FISH FRIENDLY (Wash prior to use)



Decorative Range continued











EasyGrid

Our durable plastic easy grid will help to keep your aggregates in place. Especially effective for driveways and well trodden gardens.

GroundCover

We would advise using our ground cover under your aggregate as an effective weed suppressant.

PINK CHIPPINGS

BROWN PEA GRAVEL*

ALPINE GRAVEL*

WHITE CHIPPINGS

Crushed Glass







Rockery

100 - 200mr



CALEDONIAN COBBLE*

CALEDONIAN COBBLE*

200 - 350mm



RED ROCKERY

GREY LIMESTONE ROCKERY



COTSWOLD ROCKERY



PLUM SLATE ROCKERY*



GREEN SLATE ROCKERY*



R

YORKSTONE ROCKERY



RUSTIC SLATE ROCKERY*





POLISHED PEBBLES BLENDED*



POLISHED PEBBLES IVORY*



POLISHED PEBBLES EBONY*

49

DECORATIVE AGGREGATES

BOWLANDSTONE.COM

NDLY



Essentials

At Bowland Stone we have a large variety of extra items to help you to create your perfect garden. From essential sands and aggregates to bark and topsoil. If you cannot see what you are looking for on these next pages please visit our website or give one of our sales team a call, we are always happy to assist.

Sands & Ballast

Various types suitable for a variety of building uses including bedding paving stones and block paving, producing concrete mixes and filling joints.



SHARP SAND



GRIT SAND



SAND

BALLAST



SAND

BALLAST



KILN DRIED SAND



PLASTERING SAND

SUBBASEYELLOWLIMESTONE0-4MM DUST



Horticultural Range

A range of products for use when soft landscaping.



GRIT*







TOPSOIL



COMPOST



SOIL CONDITIONER

Permeable Aggregates

Various grades of 'clean' chippings to allow water drainage for use with block paving, to comply with driveway regulations.



DRAINAGE

14mm 'clean' chipping used as a sub base. 14mm Clean Limestone

JOINTING

filling the joints between block paving. Horticultural Grit



BEDDING 6mm 'clean' chipping used above

the 14mm chipping, and below block paving. 6mm Clean Limestone

A free-draining aggregate for use in drainage and pipe bedding.

PEA GRAVEL

ROAD SALT

Purpose produced to clear paths and driveways in icy conditions.



Bring the fun of the beach to your garden.

Also available

POST MIX CEMENT **BLACK MORTAR** WHITE MORTAR MASTER MIX® – SAND AND CEMENT MIX








ESSENTIALS

BOWLANDSTONE.COM

Stepping Stones 54-56 Lakeland Walling 57 Priory Walling 58-59 Meadow Walling 60 Edgings 61 Copings 62-63

STEPPING STONES, WALLING & EDGING

enchantin



Stepping Stones

Making use of Stepping Stones in your garden is a great way to complement patios or create a fun, winding pathway or walkway. Our ranges are diverse enough to match any scheme and connect all elements of your garden.

Wild Animal Range

The Wild Animal Range comes in four designs - fox, fish, hedgehog and squirrel.



WILD ANIMAL FOX Colour: BATH BUFF 300mm dia



WILD ANIMAL FISH Colour: BATH BUFF 300mm dia



WILD ANIMAL HEDGEHOG Colour: BATH BUFF 300mm dia



WILD ANIMAL SQUIRREL Colour: BATH BUFF 300mm dia

54

Wild Bird Range

The Wild Bird Range comes in three designs - owl, woodpecker and eagle.



WILD BIRD OWL Colour: BATH BUFF 390mm dia



WILD BIRD WOODPECKER Colour: BATH BUFF 390mm dia



WILD BIRD EAGLE Colour: BATH BUFF 390mm dia





CELESTIAL SUN Colour: ANTIOUE GREY/BARLEY 450mm dia




CELESTIAL MOON Colour: LIMESTONE 450mm dia



CELESTIAL STAR Colour: MELLOW GOLD 450mm dia






Stepping Stones

	eight	pallet	Pallet weight	
Sizes	Unit weight	Unit / pallet	Pallet	
Cathedral 300 (dia) 400 (dia)	6.5 9.2	25 25	162.5 230	
Catherine Wheel 450 (dia)	9.8	25	245	
Catherine Wheel Infill	8.2	25	205	
Chapter Irregular 500 (dia)	14.2	20	284	
Celestial Moon 450 (dia)	10.21	25	255.25	
Celestial Star 450 (dia)	10.21	25	255.25	
Celestial Sun 450 (dia)	10.21	25	255.25	
Driftwood Log 360 (dia)	8.7	20	174	
Rope 440 (dia)	11.06	25	276.50	

	/eight	pallet	Pallet weight	
iizes	Unit weigh	Unit / pallet	Pallet	
apanese /arious (dia)	17	25	425	
Dval I50 (dia)	7.2	25	180	
Vild Animal Fox 300 (dia)	5.5	25	137.5	
Wild Animal Fish 300 (dia)	5.5	25	137.5	
Vild Animal Hedgehog 300 (dia)	5.5	25	137.5	
Vild Animal iquirrel 800 (dia)	5.5	25	137.5	
Vild Bird Owl 390 (dia)	10	25	250	
Vild Bird Voodpecker 390 (dia)	10	25	250	
Vild Bird Eagle 390 (dia)	10	25	250	



Lakeland

Lakeland faithfully captures the art of laying dry slate walling, providing a timeless structure for any garden. Lakeland Walling is available in authentic Cumbrian Slate, and both full and half blocks provide you with a flexible solution to creating distinctive garden features.

Colour



CUMBRIAN SLATE Lakeland coping/edging is also available in Parisian Limestone colour

Create

WALLING	π²	eight	allet	allet	veight
Sizes	Unit / m²	Unit weight	m2 / pallet	Unit / pallet	Pallet weight
Full Block 440 x 120 Thickness: 115mm	17	12	3.8	60	720
Half Block 220 x 120 Thickness: 115mm	33	6.5	1.8	60	390
Coping/Edging 440 x 140 Thickness: 100mm	-	15	-	60	900
Flat Coping 440 x 150 Thickness: 30mm	-	5	-	60	300



FULL BLOCK (VARIOUS DESIGNS)



HALF BLOCK (VARIOUS DESIGNS)



COPING/EDGING (VARIOUS DESIGNS)



FLAT COPING

57

WALLING & EDGING BOWLANDSTONE.COM



Priory Split Walling

Similar to Priory Cottage, our Priory Split Walling range is inspired by the Cotswold Stone and is reminiscent of the countryside style. With its traditional flat-split, rough-hewn face, this unique range will look the part in any garden.

Colou





MISTY GREY

SUMMER CORN

Create

WALLING						
	2E	/eight	allet	pallet	Pallet weight	
Sizes	Unit / m²	Unit weight	m2 / pallet	Unit / pallet	Pallet	
220 x 65	58	2.67	6.6	374	1000	
330 x 65	39	4.3	5.9	279	1200	
220 x 140	29	6.47	6.1	170	1100	
330 x 140	19	9.52	6.0	126	1200	





PRIORY SPLIT WALLING



BOWLANDSTONE.COM Priory Cottage Walling

Our Priory Cottage range reflects a more rugged and weather-worn style of walling. Inspired by Cotswold Stone, this look is great for traditional gardens and adds a calming, rustic element to any patio area.

Colou





MISTY GREY

SUMMER CORN

Create

WALLING						
	2E	reight	allet	pallet	Pallet weight	
Sizes	Unit / m²	Unit weight	m2 / pallet	Unit / pallet	Pallet	
220 x 65	58	2.67	6.6	374	1000	
330 x 65	39	4.3	5.9	279	1200	
220 x 140	29	6.47	6.1	170	1100	
330 x 140	19	9.52	6.0	126	1200	





PRIORY COTTAGE WALLING

WALLING



Meadow

Meadow Walling has been crafted using original natural dry stone walling masters, recreating a rustic look that is durable and versatile. Our Meadow range consists of both full and half blocks with copings and edgings to match. Recreated in a modular block style, Meadow Walling is quick and easy to build, and achieves a traditional look without the need for time-consuming cutting.

Colour

TUNDRA

Parisian Limestone colour only available in Full and Half Blocks.





PARISIAN



FULL BLOCK (VARIOUS DESIGNS)



HALF BLOCK (VARIOUS DESIGNS)



EDGING/COPING (4 DESIGNS)





Create

BARLEY

WALLING	Jnit / m² or 1lm	/eight	allet	pallet	Pallet weight
Sizes	Unit /	Unit weight	m2 / pallet	Unit / pallet	Pallet
Full Block 440 x 150 Thickness: 100mm	14	12.5	4.3	60	750
Half Block 215 x 150 Thickness: 100mm	28	12.5	2.15	60	360
Coping/Edging 440 x 100 Thickness: 100mm	2.2	8	-	60	480
Single Coping 600 x 160 Thickness: 40mm	1.66	9.5	-	50	475
Double Coping 600 x 280 Thickness: 40mm	1.66	16.5	-	50	825

Edgings not only keep walkways defined, but can also help keep your beds, gravel, soils and other aggregates in place, forming neat and striking borders. Edgings can also be used to define areas of your garden and to surround pathways for a clever, decorative way to separate patios or landscaped areas.

	Unit weight	No. Linear Mtr	Linear Mtr Pack	Unit / pallet	Pallet weight
Sizes	Unit	No.	Line	Unit	Palle
Chesia 435 x 250 x 30	7	2.2	18.2	40	280
Half Rope Top 910 x 150 x 50	13	1.1	45.5	50	650
Rope corner 40 x 40 x 150	0.5	-	-	-	-
Full Scroll 590 x 165 x 50	11.5	1.7	23.5	40	460
Corner Dolly 50 x 50 x 280	1.5	-	-	-	-
Winchester 290 x 175 x 20	2	3.5	22.9	80	160
Victorian Scroll 230 x 175 x 40	3	4.3	11.6	50	150
Victorian 235 x 210 x 40	3	4.2	16.7	70	210
Rose Thistle 215 x 190 x 25	3	4.6	13	60	180
Half Round 910 x 150 x 50	15	1.1	54.5	60	900
Scalloped 590 x 160 x 40	7.7	1.7	29.4	50	385
Lakeland Kerb 600 x 100 x 100	12.91	1.66	12	20	258
Perimeter Edging 450 x 210 x 40	7.94	2.2	20	44	350



CHESIA Available in: Limestone, Antique Grey 435 x 250 x 30



HALF ROPE TOP Available in: Terracotta, Old Red, Welsh Slate, Barley 910 x150 x 50 CORNER Available in: Terracotta, Old Red, Welsh Slate, Barley



WINCHESTER Available in: Antique Grey 290 x 175 x 20



ROSE THISTLE Available in: Terracotta 215 x 190 x 25



LAKELAND KERB Available in: Cumbrian Slate 600 x 100 x 100



VICTORIAN SCROLL Available in: Terracotta, Old Red, Welsh Slate, Barley 230 x 175 x 40

CORNER DOLLY Available in: Terracotta, Old Red, Welsh Slate, Barley

> HALF ROUND Available in: Grey

910 x 150 x 50

PERIMETER EDGING

Available in: Old Red

450 x 210 x 40





VICTORIAN Available in: Welsh Slate 235 x 210 x 40


61

WALLING & EDGING BOWLANDSTONE.COM

SCALLOPED

Available in: Bath Buff 590 x 160 x 40







*To order only

Fencing 66 Fencing extras 67 Grass 68-69

onches

LANDSCAPING ESSENTIALS







-	-	-
	The second	-
Constraint A	-	
	-	-
	- 20	4
		-

Lap Panel

A sturdy garden wooden fence panel, 42mm thick.

Sizes available: 1830 × 1800 / 1830 × 1500 1830 × 1200 / 1830 × 900

Screen Panel Range

Choose from our range of decorative fence panels. Lisbon, Madrid and Florence to complete your garden.





FLORENCE 1830 x 1830

LISBON 1830 x 1830

MADRID 1830 x 1830

CLOSED BOARD 1830 x 1800

Please Enquire

GAZEBOS, ARBOURS AND OTHER STYLE PANELS AVAILABLE.

FENCING BOWLANDSTONE.COM



Trellis

Thick timber panels ideal for climbing plants or creating a focal point.

Treated Timber Sleepers

Our sleepers are perfect for a variety of uses including creating raised flower beds.



Sizes available: 1830 x 1800 / 1830 x 1510 / 1830 x 1200 1830 x 900 / 1830 x 610 / 1830 x 320



Metposts

We have a range of metposts for timber post support.

Wooden & Concrete Posts

Choose from our pressure treated timber post or solid concrete posts.



Gravel Boards

Recessed and Plain concrete gravel boards for use with all timber panels. Sizes available: 1800 x 300 / 1800 x 150





Turfs Artificial Grass

Our artificial grass range will give any garden a natural, luxury look but with low maintenance. We also sell a high tolerance lawn turf which is ideal if you need a hard wearing lawn.



24MM ARTIFICIAL GRASS Synthetic grass carpet, it is the dog owners delight



28MM ARTIFICIAL GRASS 28mm tufted synthetic grass, soft to touch and durable making this a great all-rounder



30MM ARTIFICIAL GRASS 30mm tufted synthetic carpet, giving you a natural looking, well–manicured lawn



36MM ARTIFICIAL GRASS 36mm tufted cut pile with a super soft feel,

it's an ideal choice for children and pets



38MM ARTIFICIAL GRASS 38mm tufted pile with a luxurious look and feel, it is an ideal choice for gardens that require a bit of 'luxury'



40MM ARTIFICIAL GRASS 40mm tufted synthetic carpet, the closest artificial grass to mimic real turf



PLAYLAWN TURF A medium texture, high wear tolerance blend of grasses, ideal for hard wearing lawns and amenity areas. Available in 1m² rolls.

Patio construction 72-73 Patio generator 74 Caring for your patio 75 Plan ahead 76-77 Important information 78

PATIO CONSTRUCTION & CARE

create



Patio Construction



Step 1 (Planning)

Decide where you want to lay your new patio. First sketch out the area to be paved, showing all dimensions. Include in the drawing items such as drains, height of damp proof course, the slope or fall of the area and any other constraints eg walls, lawns, steps etc.

Visit Bowland Stone or your nearest stockist to create your laying guide using the Bowland Stone Patio Generator.



Step 2 (Preparation)

The area to be paved must be firm and compact to avoid any subsidence. If necessary dig out any soft soil and replace with crushed stone preferably with a high dust content. The level of the ground at this stage should be approximately 55mm to 80mm below the final level of the paved area.



Step 3

At this stage as well as a trowel and shovel, a spirit level will be needed at least the length of the longest slab that is to be laid. Determine the quantities of sand and cement required for 'bedding' the slabs on. As a guide the bed should be between 15mm and 40mm thick and mixed in a ratio of 4 parts sand to 1 part cement, (mixed together in manageable quantities either by hand or a small mechanical mixer).

Decide where to lay the first slab, this is usually a corner slab and probably at the highest point. In most cases a slope of 1:100 is adequate to enable surface water to fall away from the house. It very often helps to use string and mark out the area, which helps to keep the joints at 90 degrees to each other. Continue laying your patio following your laying guide. We recommend that all paving is laid on a full mortar bed.



Step 4

The method of laying should be such that each slab must not bear any weight for at least one day. Care should also be taken to ensure that cement is kept off the surface of the paving as it can cause staining. The exact position of each slab should be achieved first time. To do this, do not apply excessive force on the slab but check with a spirit level and apply gentle pressure until the exact position is found. It is best to lay full slabs first and then cut any odd shapes and sizes that may be needed.

Step 5

Unlike all the previous stages, grouting can only be done on a dry day. Building sand should be used, mixed at a ratio of 5 parts sand to one part cement. (Or alternatively use a pointing compound some of which can be used during inclement weather). Bowland Stone colour additive can be used to complement or contrast the overall appearance. The total quantity should not exceed one bucket of grout at a time.

With the use of either a bricklayers pointing trowel or pointing tool, push the mix into the gaps to form a uniform surface to the pointing ensuring that it is kept slightly below the surface of the paving. Excess mix should be swept aside and re~used but do not brush it over the slabs until the mix has become dry. It is essential that the mix is moist but not wet to prevent the possibility of staining.





Patio Generator


Let our friendly team of advisors help plan your space using our unique Patio Generator.


The Bowland Stone Patio Generator creates bespoke paving designs so you can quickly see how your garden will be transformed, providing you with the inspiration you need to get started.

Whatever your space, shape or size, the Patio Generator will produce traditional and random paving patterns to fit. Paving circles and Patio Pacs can also be incorporated. Every design will give your garden a different feel, and our team will help you decide on the ideal layout for your requirements. Once we've created your perfect patio, you'll receive a detailed plan of your design and be advised on the right products for the job – you're now ready to begin creating the garden of your dreams!

Ask instore

Ask our advisors in store or your Bowland Stone Representative for more information on our Patio Generator.





Caring for your patio Generator & Caring for your pations

The following tips should help you keep your paving looking at its best for longer.

- 1. **Regular washing** and brushing should be adequate to maintain your patio.
- 2. Before using any cleaning materials consult your paving stockist to recommend an appropriate product.
- 3. Test a small area before cleaning the patio.
- 4. If using patio cleaner, use sparingly (once or twice during the lifetime of the patio) as this may affect durability.
- 5. Sealants can be used but they can affect the colour of the paving.
- 6. Do not use salt to de-ice your patio.
- 7. Dark patches are due to differential weathering and exaggerated by efflorescence*. As with efflorescence the dark patches will generally disappear in time.
- 8. Fungal and algae growths can be cleared by spraying with fungicide.
- 9. Bowland Stone paving can be used indoors as well as out.
- 10. We do not recommend the use of a pressure washer.

Please note that although sometimes unsightly, blemishes or stains are unlikely to affect the performance of the paving. Always follow manufacturer's instructions when using cleaning equipment or materials. *Please refer to page 78 for further information.



PLAN AHEAD BOWLANDSTONE.COM



Important information

Efflorescence

All concrete products may suffer the temporary phenomenon of efflorescence, caused by the migration of soluble salts to the surface. Efflorescence can sometimes appear as white powder, or just an apparent lightening or fading of colour. This is caused by the migration of soluble salts to the surface, the most common being calcium hydroxide which reacts with atmospheric carbon dioxide to form calcium carbonate – a white deposit of low water solubility becoming apparent as the surface dries.

Efflorescence Chemistry

Calcium Hydroxide Ca (OH)2

Carbon Dioxide (CO2)

-

+

+

Calcium Carbonate (CaC03)

Water (H20)

Removal

Ideally it is better to let the phenomenon to disappear naturally, but it can be removed chemically by using proprietary acid washing agents or brick/patio cleaners in accordance with manufacturers instruction. Care must be taken and protective clothing worn.

However, both techniques can alter the appearance of the concrete by changing the surface texture and may also damage the concrete surface.

Before attempting to remove efflorescence by these techniques it is recommended that trials should be carried out on samples, or a limited area, in order to assess the effect on the appearance.

Efflorescence is a natural phenomenon and one that does not affect the durability and performance of the concrete in question.

Handling

Ensure products are on level ground before unwrapping and remove wrapping and banding with the appropriate tools; it is recommended that safety goggles and gloves are worn. To avoid breakages, chipping and other damage, products should always be handled with care and either left on level ground or supported in some way to prevent falling over. Movement in transit can sometimes cause minor scuffing but this will disappear in time. If in any doubt, do not lay and consult our sales team.

Road Salt & Pressure Washers

We do not recommend the use of road salts during freezing/thawing conditions. Salts can affect both the appearance and durability of the paving. We also do not recommend the use of Pressure Washers as damage may occur to the surface of the paving.

Colour

Due to the phenomenon of differential curing, slight colour and shade variations do occur in individual coloured concrete products. Site conditions, seasonal manufacture or naturally occurring variations in the aggregates used can also cause variations. This is generally considered to enhance the natural stone effect and the colours will invariably weather together in time.

Prevention

It is not possible to predict precisely when, or if, efflorescence will occur as well as relatively minor changes in the quality of the concrete, the curing conditions and the environment can cause its formation.

Natural Stone

Unavoidable colour and thickness variations occur within the natural stone ranges. Our natural stone is sourced from suppliers who are registered with the 'ethical trading initiative'. Silver Grey like all Natural Stone Sandstone products vary with differing geological conditions. Such variations can lead to small particles of ironstone within the product creating a darkening of the surface with natural weathering. Being pale in colouration, this natural weathering is more obvious with Silver Grey than with the other natural colours. Differential weathering can cause patchy dark discolourations on the surface of individual units, this will generally diminish over time and will not affect long term performance. Natural stone may develop added marking, deposits or patches as mineral content oxidises. All products can develop algae and organic growths under certain environmental conditions and may require cleaning. Areas adjacent to borders, plant pots and trees may discolour from transfer of plant-life; specialist maintenance advice may need to be sought.

Ordering

In respect of this it is suggested that when laying paving the flagstones are ordered as a total batch and drawn from several packs at the same time to enhance any colour variation. Choice of colours should be made from actual materials rather than the colour photographs herein.

Weathering

Just as natural stone the appearance of concrete products will weather and change, especially after a period of time exposed to the elements.

Sizes

Bowland paving is manufactured to capture the authenticity of natural slabs and as such they do vary in thickness. All sizes are nominal and customers should check with their supplier.

Fissures can occur on larger individual slabs as a natural result of shrinkage, this does not alter the durability of the product.

Storage

Prior to laying cover all paving and store in a vertical position. Bowland Stone will not take any responsibility for any paving that has developed water marks or stains due to inadequate storage.

Liability

Liability in respect of any statements, conditions, warranties and representations made on behalf of Bowland Stone is limited in accordance with the terms set out in Standard Conditions of Sale. While every effort is made to give sound advice, Bowland Stone cannot accept any responsibility for any loss, damage or injury sustained as a result of following it.

Bowland Stone will not take any responsibility or liability in respect of products being used for any purpose other than those for which they were intended by the manufacturers. Due to our continuous evolution of product design and improvement our range is subject to change without notice. Customers should check that information is up to date.

Regional Variations

When ordering materials, order from source as colours and finishes vary regionally.

Should a product reach you in an unsatisfactory condition, and other than a naturally occurring one described previously, the defect would have to be apparent prior to laying. It is at this point that the supplier should be notified of such a fault, allowing time for the rejected product to be replaced. If the complaint is raised after laying the product, no responsibility will be accepted for any relaying or removing costs. Bowland Stone will not be liable for fair wear and tear, wilful damage or negligence of the customer or abnormal conditions.

n d 2 5 y or nd

а h e





Made in the UK by Bowland Stone Bowland Stone (Bristol) 1 Cole Road St Philips Bristol BS2 OUG e. bristol@bowlandstone.com t. 0117 9557 530 Bowland Stone (Manchester) Nab Works Long Lane, Pott Shrigley Macclesfield Cheshire SK10 5SD manchester@bowlandstone.com t. 01625 574634

Find even more inspiration at www.bowlandstone.com

